



# The Power to Perform Safely.

PowerGistics enhances your device deployment with the needed flexibility to evolve with today's ever-changing educational environment.

## Safety

- **Antimicrobial coating available\***
- Student managed single touch deployment
- Social distance deployment without losing teaching time

## Versatility

- Matches today's and tomorrow's ever-changing device deployment needs

## Savings

- **USB-A to USB-C 2.0 cords included**
- Use device powerbricks for remote learning
- **\$33 x 20 powerbricks = \$660 saved**

## Quick Setup

- **From box to deployment in 10 minutes**

**PowerGistics TOWERS are available in 8, 12, 16 and 20 shelves with versatile Mounting Options.**

All TOWERS are wall mountable, with options to transform into a stand or roller at anytime.

 chrome enterprise Partner

\*Antimicrobial coating available as an option with all Towers. Antimicrobial Custom School Spirit colors are available in Red, Blue, Yellow, Green and White

# Future School reopening plans unknown?

## You got this, with POWERGISTICS USB TOWERS

*“The Racine Unified School board was informed... of the purchase of 6,000 charging cords at a total cost of about \$198,000.”*

The Journal Times, Technology and Education May 6th, 2020 - Caitlin Sievers

### USB-A to USB-C 2.0 cords INCLUDED with Towers

Use the power bricks that come with devices to send home with students for remote school days or evening homework. **Save money by not buying second power bricks.**

#### • Installation

Cable up a Tower with devices in less than 10 minutes.

#### • Standard Outlet Charging

PowerGistics Towers charge all devices simultaneously, from a standard outlet.

#### • Single Touch Device Deployment for Students

**100% Student Managed** with a dedicated shelf for every student, they only touch the power cable when retrieving and returning their device during the school day. There is no need to touch the charging Tower.

#### • No Touch Device Deployment for Teachers

Since the teacher can visually inventory the devices because of the open door concept, their only role is to lock and unlock PowerGistics Towers by touching the key or lock. **No surprise missing or uncharged devices.**

#### • No Traffic-Jam Deployment

If the class is larger, placing two Towers on opposite sides of the room creates natural social distance and speeds up deployment time.

#### • Optional Cleaning Caddy Accessory

This add-on accessory hangs on the side of the Tower and easily fits a standard sanitizing wipes container, or a large hand sanitizer pump.

#### • Color coding makes it easy!

Even the youngest students can retrieve their device from their own shelf by knowing the assigned color group and number of their shelf. Students take personal responsibility for charging, storing and deploying devices.



Wire our TOWERS once and enjoy maintenance free cable management for your full device life cycle – or longer.



Rather than a standard power delivery unit (PDU) in the rear of the tower, the USB Series has a USB-A PDU.

#### PowerGistics USB TOWER Tech Specs:

Each USB port has a current up to 2.1 amps for sleep and charge. Ideal for Chromebooks, tablets and other devices with a maximum power supply of 45W or less.

#### Average time to charge:

11" Chromebook from 0% battery to 100% = 5 hours  
Built in surge protector prevents devices from damage by volt spikes. Input 100-250VAC  
Output 5V 2.1A Each USB port  
Certifications UL 60590 • ETL C-ETL 5003979



Wall Mounted



Just-A-Stand



Rolling Stand

CALL NOW 844.205.1217

**PowerGISTICS**

[www.powergistics.com](http://www.powergistics.com)

## TOWER8

### TECH SPECS – Model #: 1T08110

8 shelf wall mounted Tower for standard tablets to 11.6" / 29.46 cm devices with keyed locking door.

#### Maximum device dimensions

L 8.7" x W 12" x H 1.75"  
22.1 cm x 30.48 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 37.25" x W 10.25" x D 17.50"  
94.6 cm x 28.58 cm x 50.8 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER8PLUS

### TECH SPECS – Model #: 1T08140

8 shelf wall mounted Tower for standard tablets to 14.8" / 37.59 cm devices with keyed locking door.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 37.25" x W 11.25" x D 20.00"  
94.62 cm x 28.58 cm x 50.80 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER8PLUS USB

### For Chromebooks and tablets

### TECH SPECS – Model #: 1T0814USB

8 shelf wall mounted Tower for Chromebooks and tablets up to 14.8" / 37.59 cm. USB PDU and 8 USB-A to USB-C cords included.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 37.25" x W 11.25" x D 20.00"  
94.62 cm x 28.58 cm x 50.80 cm

#### Power Supply:

100 - 250 VAC 50/60 Hz. Output of 2.1A per port for sleep and charge. For devices with maximum power supply of 45W or less.  
Cord Length: 10' / 3.05 m



## TOWER12

### TECH SPECS – Model #: 1T12110

12 shelf wall mounted Tower for standard tablets to 11.6" / 29.46 cm devices with keyed locking door.

#### Maximum device dimensions

L 8.7" x W 12" x H 1.75"  
22.1 cm x 30.48 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 51.50" x W 10.25" x D 17.50"  
130.81 cm x 26.04 cm x 44.45 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER12PLUS

### TECH SPECS – Model #: 1T12140

12 shelf wall mounted Tower for standard tablets to 14.8" / 37.59 cm devices with keyed locking door.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 51.50" x W 11.25" x D 20.00"  
130.81 cm x 28.58 cm x 50.80 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER12PLUS USB

### For Chromebooks and tablets

### TECH SPECS – Model #: 1T1214USB

12 shelf wall mounted Tower for Chromebooks and tablets up to 14.8" / 37.59 cm. USB PDU and 12 USB-A to USB-C cords included.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 51.50" x W 11.25" x D 20.00"  
130.81 cm x 28.58 cm x 50.80 cm

#### Power Supply:

100 - 250 VAC 50/60 Hz. Output of 2.1A per port for sleep and charge. For devices with maximum power supply of 45W or less.  
Cord Length: 10' / 3.05 m



## TOWER16

### TECH SPECS – Model #: 1T16110

16 shelf wall mounted Tower for standard tablets to 11.6" / 29.46 cm devices with keyed locking door.

#### Maximum device dimensions

L 8.7" x W 12" x H 1.75"  
22.1 cm x 30.48 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 51.50" x W 10.25" x D 17.50"  
130.81 cm x 26.04 cm x 44.45 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER16PLUS

### TECH SPECS – Model #: 1T16140

16 shelf wall mounted Tower for standard tablets to 14.8" / 37.59 cm devices with keyed locking door.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 51.50" x W 11.25" x D 20.00"  
130.81 cm x 28.58 cm x 50.80 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER16PLUS USB

### For Chromebooks and tablets

### TECH SPECS – Model #: 1T1614USB

16 shelf wall mounted Tower for Chromebooks and tablets up to 14.8" / 37.59 cm. USB PDU and 16 USB-A to USB-C cords included.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 51.50" x W 11.25" x D 20.00"  
130.81 cm x 28.58 cm x 50.80 cm

#### Power Supply:

100 - 250 VAC 50/60 Hz. Output of 2.1A per port for sleep and charge. For devices with maximum power supply of 45W or less.  
Cord Length: 10' / 3.05 m



## TOWER20

### TECH SPECS – Model #: 1T20110

20 shelf wall mounted Tower for standard tablets to 11.6" / 29.46 cm devices with keyed locking door.

#### Maximum device dimensions

L 8.7" x W 12" x H 1.75"  
22.1 cm x 30.48 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 59.00" x W 10.25" x D 19.50"  
149.86 cm x 26.04 cm x 49.53 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER20PLUS

### TECH SPECS – Model #: 1T20140

20 shelf wall mounted Tower for standard tablets to 14.8" / 37.59 cm devices with keyed locking door.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.1 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 59.00" x W 11.25" x D 22.00"  
149.86 cm x 28.58 cm x 55.88 cm

#### Power Supply:

15A / 120V  
Cord Length: 10' / 3.05 m

## TOWER20PLUS USB

### For Chromebooks and tablets

### TECH SPECS – Model #: 1T2014USB

20 shelf wall mounted Tower for Chromebooks and tablets up to 14.8" / 37.59 cm. USB PDU and 20 USB-A to USB-C cords included.

#### Maximum device dimensions

L 9.8" x W 14.8" x H 1.75"  
24.89 cm x 37.59 cm x 4.45 cm

#### TOWER DIMENSIONS:

H 59.00" x W 11.25" x D 22.00"  
149.86 cm x 28.58 cm x 55.88 cm

#### Power Supply:

100 - 250 VAC 50/60 Hz. Output of 2.1A per port for sleep and charge. For devices with maximum power supply of 45W or less.  
Cord Length: 10' / 3.05 m



# DESKTOP BUSINESS SERIES



## TECHHUB6

**TECH SPECS – Model #: 1H06140**  
6 shelf stackable desktop storage for standard tablets up to 14.8" / 37.59 cm devices with door and hasp ring for padlock.

**Maximum device dimensions**  
10" x 14.5" x 2"  
25.4cm x 36.83 cm x 5.08 cm

**DIMENSIONS:**  
H 14.00" x W 15.70" x D 16.20"  
35.56 cm x 39.88 cm x 41.15 cm  
Power cord length 12' / 3.66 m



## DESKTOP6 PLUS

**TECH SPECS – Model #: 1D06141**  
6 shelf desktop storage for standard tablets up to 15.8" / 40.13 cm devices.

**Maximum device dimensions**  
10.8" x 15.8" x 2"  
27.432 cm x 40.13 cm x 5.1 cm

**DIMENSIONS:**  
H 17.75" x W 11.75" x D 18.75"  
45.08 cm x 29.84 cm x 47.62 cm  
Power cord length 12' / 3.66 m



## CELLTOWER10

**TECH SPECS – Model #: 1D15050**  
10 shelf desktop or wall mounted Tower with door and hasp ring for padlock and **USB** charging.

**Maximum device dimensions**  
7.5" x 3.75" x 1"  
19.05 cm x 9.52 cm x 2.54 cm

**DIMENSIONS:**  
H 18.80" x W 7.50" x D 13.40"  
47.75 cm x 19.05 cm x 34.04 cm  
Power cord length 5' / 1.52 m



## TECHSTATION10

**TECH SPECS – Model #: 1D10070**  
Charge and store up to 10 tablets/ mobile devices with **USB** charging.

**Maximum device dimensions**  
8" x 6" x 1"  
20.32 cm x 15.24 cm x 2.54 cm

**DIMENSIONS:**  
H 18.00" x W 9.00" x D 11.50"  
45.72 cm x 22.86 cm x 29.21 cm  
Power cord length 12' / 3.66 m

## STANDS AND ROLLERS

Stands sold separately, Roller not available for TOWER20 Series.

### STANDS

Attach any 8 / 12 / 16 or 20 shelf Tower to make it free standing—no locking rear door. Includes Tower cord wrap.

#### JUST-A-STAND8

**Model #: 1S08001**  
H 38.25" x W 19.25" x D 22.70"  
97.16 cm x 48.90 cm x 57.66 cm

#### JUST-A-STAND12/16

**Model #: 1S12161**  
H 52.25" x W 19.25" x D 22.70"  
132.72 cm x 48.90 cm x 57.66 cm

#### JUST-A-STAND20

**Model #: 1S20001**  
H 59.50" x W 19.25" x D 26"  
151.13 cm x 48.90 cm x 66.04 cm

### ROLLERS

Attach an 8 / 12 or 16 shelf Tower to make it mobile, with locking rear door and Tower cord wrap.

#### ROLLER8

**Model #: 1R08001**  
H 40.25" x W 22" x D 30"  
102.24 cm x 52.07 cm x 76.20 cm

#### ROLLER12/16

**Model #: 1R12161**  
H 54.50" x W 22" x D 30"  
138.43 cm x 52.07 cm x 76.20 cm

### REAR DOORS

Rear keyed locking door for Just-A-Stand 8 / 12 / 16 / 20

#### JUST-A-STAND8 door

**Model #: 1B08000**  
Rear keyed locking door for Just-A-Stand8

#### JUST-A-STAND12/16 door

**Model #: 1B12160**  
Rear keyed locking door for Just-A-Stand12/16

#### JUST-A-STAND20 door

**Model #: 1B20000**  
Rear keyed locking door for Just-A-Stand20



PowerGistics products are proudly **MADE IN WISCONSIN**. All our products are engineered with purpose and functionality in mind, and built to last. We are a family-owned company, driven by innovation and integrity. We believe in providing products that make life easier and help solve problems.

CALL NOW 844.205.1217

**PowerGISTICS**

[www.powergistics.com](http://www.powergistics.com)